



WAERDSE TEMPEL

TECHNICAL RIDER

STRAND VAN LUNA 1
1704 ZZ HEERHUGOWAARD
TEL: +31 (0)72 5721363 / FAX: +31 (0)72 57213878

Main hall

Capacity	: Concert's: 2100 Dance: 2300		
Max sound level	: 105 DbA / system limit 115db Please note: limiters will be inserted on outputs if this level is exceeded.		
Stage	: Permanent stage 8 m x 24 m Height 1.45m Clearance 7.00m		
Power supply	Light	Sound	Various
All CEEform 5p and 3p	1 * 125A/400V (fuse 100A) 2 * 63A/400V 2 * 32A/400V 3 * 16A/230V	1 * 63A/400V 2 * 32A/400V 3 * 16A/230V	2 * 32A/400V stage right 2 * 32A/400V stage left

Standard PA specs

per side	: 8x Electro Voice XLC 127dvx + 2x XLD281 line array 5x Electro Voice X-sub placed under stage
Processing	: Electro Voice Netmax N8000
Amps	: Powersoft K serie
Foh Desk	: Midas Heritage 2000 44 + 4 stereo (48 ch. multi + 12 ch. return multi)
Equalisers	: Klark Teknik Square One Graphic EQ 2x30 bands on main system
Dynamics/inserts	: Klark Teknik Square One 8ch. Dynamics
Players/Recorders	: Tascam CD-160 / Tascam MD-350 19"
Multitrack Recorder	: 48 ch. HD recording, Tascam X48, incl. studio projects sp828 preamps. <u>On demand</u>

- Effects** : 1x Lexicon PCM-91
 1x TC Electronics M2000
 1x TC Electronics D-two
 1x Yamaha SPX-2000
- Monitor Desk** : Midas Siena 480 48 mono channels, 16 output groups
 Klark Teknik DN9331 Helix RAPIDE
 3x Klark Teknik DN9344E
 Klark Teknik Square One 8ch. Dynamics
- Monitoring** : 6x Electro Voice XW-15 15" floormonitor
 4x Electro Voice CP3000s amplifier, controlled by Klark Teknik DN9848
 6x Electro Voice XW-12 12" floormonitor
 4x Electro Voice CP3000s amplifier, controlled by Klark Teknik DN9848
- Microphones** : ElectroVoice, Shure, Sennheiser, AKG, including EV and Shure UHF wireless systems

Mic.List:

- 2x Electro Voice N-Dym 868
 6x Electro Voice N-Dym 468
 4x Electro Voice N-Dym 478
 8x Shure Beta 57a
 4x Shure SM-58
 2x Shure SM-58 Beta
 2x Electro Voice N-Dym 767a
 3x Electro Voice RE-20
 2x Electro Voice RE/90B
 4x Electro Voice RE-410
 6x Electro Voice RE-200
 4x Electro Voice RE-2 wireless set v.v. 767a handzender
 2x Electro Voice RE-2 wireless set v.v. beltpack
 2x Electro Voice RE-92 TX
 4x Sennheiser E 604
 2x AKG SE300 + CK/91
 2x Shure ULXP4 wireless UHF ontvanger
 2x Shure ULX2-58 handzender UHF
 10x D.I. Klark Teknik DN100
- 20x K&M microfoonstatief 210/95 zwart
 16x K&M microfoonstatief kort 259/1 zwart
 4x K&M kick statief met poten 25910

DJ equipment :

- 4x Technics SL1200 mk2 turntables
 4x Pioneer cdj 1000 mk2/mk3
 1x PioneerDJM 800
 1x Pioneer DJM 600
 1x Datec Vibe

Standard light: Main hall

Controller : 1x Avolites pearl 2004

Dimmers : 72x 2,5Kw LSC Epro including patchpanel

Lamps : 108x ETC SourceFour Par 750 Watt Long life (18x6-bar Connex)

: 4x ADB CH20 45° -90° 2Kw Fresnel including Barndoors

: 4x ADB DS204 13° -36° 2Kw Fresnel including Barndoors

: 2 x Audience 4-light Blinder 2,5Kw

: 2x PAR 64 ACL-set Short-nose

: 2x 4-lite-blinder

Intelligent : 8x Martin MAC500 Profile

: 6x Martin MAC600 Washlight

: 2x Martin Atomic 3Kw Strobelight

: 2x JEM ZR33 Fogmachine

: 1x Swefog Ultimate 200 Oilcracker

Rigging : 4x 16 mtr. Prolyte H30V Truss (above stage and front stage)

: 3x Loadestar 1T Electromotor including controller/truss

Backdrop : 24 mtr. X 8,50 mtr. , On each side: 2x 4mtr x 8,50 mtr.

Small venue

Capacity	: Dance: 350 Concert's: 250
Max sound level	: 105 DbA Please note: limiters will be inserted on outputs if this level is exceeded.
Stage	: Permanent stage 4 m x 6 m Height 40 cm
Clearance	: 2.50 m (height)
Power supply	:
All CEEform 5p and 3p	1 * 63A/400V 2 * 32A/400V 3 * 16A/230V

Standard PA specs:

per side	: 2x Electro Voice RX-212 top (2x''+ 3''HF total 650 W aan 108 dB) 2x Electro Voice RX-sub (1x 18'' 600 W / 8 Ohm)
Processing	: Electro Voice DX38 systeem processor
Amps	: 2x Electro Voice CP-3000s 2x Electro Voice CP-2200
Foh/mon Desk	: Midas Venice 320 24 mono, 4 stereo/mono inputs 3x square one graphics 1x square one dynamics 1x tc-electronics M-1 1x tc-electronics D-2 Monitoring vanaf f.o.h. tafel 4x mon send + 6x mon. speakers e.v. xw12a

Lights Small venue: :

Lamps : 4x 6bar 1Kw 24 kringen
Geen Intelligent licht

Standard Facilities :

Dressingrooms : 3

Each room 1 shower 1 toilet 1 mirror

Data + phone connections

Production office : On demand

Merchandise : Booth on request available (fee: 6 free T-shirts)

Video-system : On Demand

Backline : On Demand

**QUESTIONS CAN BE DIRECTED TO:
PRODUCTION : Leroy - +31657993192
TECHNIC: Lourens +31624823272
techniek@waardsetempel.nl**